

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 1/10



MEIKO ACTIVE FR 80

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

MEIKO ACTIVE FR 80

Article No.:

AUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Washing and cleaning products

Relevant identified uses:

Life cycle stage [LCS]

PW: Widespread use by professional workers

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

MEIKO AUSTRALIA PACIFIC Pty. Ltd.

UNIT 4, 72-74 Lower Gibbes Street

2067 Chatswood New South Wales

Australia

Telephone: +61 1300 562 500

Telefax: +61 1300 622 530

E-mail: sales@meiko.com.au

Website: www.meiko.com.au

1.4. Emergency telephone number

+61 1300 562 500 (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	Test results
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

2.2. Label elements

Hazard pictograms:



GHS05
Corrosion

Signal word: Danger

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 2/10



MEIKO ACTIVE FR 80

Hazard components for labelling:

potassium hydroxide; sodium hypochlorite solution

hazard statements for physical hazards

H290 May be corrosive to metals.

hazard statements for health hazards

H314 Causes severe skin burns and eye damage.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information

EUH031 Contact with acids liberates toxic gas.

Precautionary Statements Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements Response

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor/...

2.3. Other hazards

No data available

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name	Concentration
CAS No.: 1310-58-3 EC No.: 215-181-3 INDEX No.: 019-002-00-8 REACH No.: 01-2119487136-33	potassium hydroxide Acute Tox. 4, Skin Corr. 1A Danger H302-H314	5 - 25 weight-%
CAS No.: 7681-52-9 EC No.: 231-668-3 REACH No.: 01-2119488154-34	sodium hypochlorite solution Aquatic Acute 1, Aquatic Chronic 1, Eye Dam. 1, Skin Corr. 1B Danger H314-H410-EUH031 M-factor (acute): 10 M-factor (chronic): 1	1 - 2 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 3/10



MEIKO ACTIVE FR 80

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Get immediate medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Get immediate medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth immediately and drink plenty of water-.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Skin corrosion/irritation Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media:

Strong water jet

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Hazardous combustion products:

In case of fire: Chlorine (Cl₂)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water-.

Hazchem Code: 2R

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 4/10



MEIKO ACTIVE FR 80

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Water

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep/Store only in original container.

Do not keep the container sealed.

Storage class: 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TWA / STEL	potassium hydroxide CAS No.: 1310-58-3	② 2 mg/m ³

8.1.2. Biological limit values

No data available

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 5/10



MEIKO ACTIVE FR 80

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
potassium hydroxide CAS No.: 1310-58-3	1 mg/m ³	① DNEL worker ② inhalative, long-term, local
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m ³	① DNEL worker ② inhalative, long-term, systemic
sodium hypochlorite solution CAS No.: 7681-52-9	3.1 mg/m ³	① DNEL worker ② inhalative, short-term, systemic, (acute)
sodium hypochlorite solution CAS No.: 7681-52-9	1.55 mg/m ³	① DNEL worker ② inhalative, long-term, local
sodium hypochlorite solution CAS No.: 7681-52-9	3.1 mg/m ³	① DNEL worker ② inhalative, short-term, local, (acute)

Substance name	PNEC Value	① PNEC type
sodium hypochlorite solution CAS No.: 7681-52-9	0.21 µg/l	① PNEC aquatic, freshwater
sodium hypochlorite solution CAS No.: 7681-52-9	0.042 µg/l	① PNEC aquatic, marine water
sodium hypochlorite solution CAS No.: 7681-52-9	0.03 mg/l	① PNEC sewage treatment plant
sodium hypochlorite solution CAS No.: 7681-52-9	11.1 mg/kg	① PNEC secondary poisoning

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) > 0,2mm Breakthrough time (maximum wearing time) 480 min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: Chlorine

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 6/10



MEIKO ACTIVE FR 80

Safety relevant basis data

parameter		at °C	Method	Remark
pH	14	20 °C		
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	> 90 °C			
Decomposition temperature	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	≈ 1.2 g/cm ³	20 °C		
Bulk density	<i>not determined</i>			
Water solubility	completely miscible	20 °C		
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	<i>not determined</i>	40 °C		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. The product itself does not burn. Contact with acids liberates toxic gas.

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Slowly corrodes aluminium and zinc under hydrogen evolution.

10.4. Conditions to avoid

Protect from sunlight.

10.5. Incompatible materials

Light metals

Acid

10.6. Hazardous decomposition products

In case of fire: Chlorine

Thermal decomposition can lead to the escape of irritating gases and vapours.

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 7/10



MEIKO ACTIVE FR 80

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LD₅₀ oral: =273 mg/kg (Rat)
7681-52-9	sodium hypochlorite solution	LD₅₀ oral: =1,100 mg/kg (Rat) LD₅₀ dermal: >20,000 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): >10.5 mg/l (Rabbit)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

CAS No.	Substance name	Toxicological information
1310-58-3	potassium hydroxide	LC₅₀: =80 mg/l 4 d (fish-, Gambusia affinis (Mosquito fish-)) NOEC: =56 mg/l 4 d (fish-, Gambusia affinis (Mosquito fish-))
7681-52-9	sodium hypochlorite solution	LC₅₀: =0.06 mg/l 4 d (fish-) NOEC: =0.04 mg/l 12 d (fish-)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 8/10



MEIKO ACTIVE FR 80

12.2. Persistence and degradability

CAS No.	Substance name	Biodegradation	Remark
1310-58-3	potassium hydroxide	not applicable	
7681-52-9	sodium hypochlorite solution	not applicable	

12.3. Bioaccumulative potential

CAS No.	Substance name	Log K _{OW}	Bioconcentration factor (BCF)
1310-58-3	potassium hydroxide	-3.88	
7681-52-9	sodium hypochlorite solution	-3.42	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
1310-58-3	potassium hydroxide	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport ADG	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN-No.			
UN 3266	UN 3266	UN 3266	
14.2. UN proper shipping name			
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-HYPOCHLORITE SOLUTION-)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-HYPOCHLORITE SOLUTION-)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION-HYPOCHLORITE SOLUTION-)	

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1




Page 9/10



MEIKO ACTIVE FR 80

Land transport ADG	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
--------------------	----------------------	------------------------------------	--

14.3. Transport hazard class(es)

 8	 8	 8	
--	--	--	--

14.4. Packing group

II	II	II	
----	----	----	--

14.5. Environmental hazards

No	No	No	
----	----	----	--

14.6. Special precautions for user

Special provisions: Excepted Quantities (EQ): Hazard identification number (Keller No.): 80 Classification code:- - tunnel restriction code-: (E) Remark:	Special provisions: Excepted Quantities (EQ): EmS-No.: Remark:	Special provisions: Excepted Quantities (EQ): Remark:	

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Volatile organic compounds (VOC) content in percent by weight: 0%

Regulation (EC) No. 648/2004 (Detergents regulation)

15-30% phosphates

<5% chlorine-based bleaching agents

SAFETY DATA SHEET

Revision date: 28 Aug 2020

Print date: 22 Oct 2020

Version: 1

Page 10/10



MEIKO ACTIVE FR 80

15.1.2. National regulations

National regulations

Other regulations, restrictions and prohibition regulations

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia

Poison schedule: Classified as a Schedule 6 (S6) Poison.

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	Test results
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH031	Contact with acids liberates toxic gas.

16.6. Training advice

No data available

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.